

Night Cream

with **Lysofix™ Liquid, Rosamox™ - HCO and FloraGLO™ Lutein 5% Topical Liquid in Safflower Oil**

Formulation: KPC/PD12026.02

- Soft texture
- Rich in bioactives
- Replenishes skin over night



Phases	Ingredients	% w/w
A	Deionized Water	62.63
	Sodium Dehydroacetate	0.12
B	Glycerin	3.00
	Xanthan Gum	0.30
C	Lysofix™ Liquid - Glycerin (and) Glycine soja (Soybean) Seed Extract	5.00
D	Behenyl Alcohol	4.00
	Diheptyl Succinate (and) Capryloyl Glycerin/Sebacic Acid Copolymer ¹	6.00
	Caprylic/Capric Acid	6.00
	<i>Helianthus annuus</i> (Sunflower) Oil	8.00
	Glyceryl Stearate SE ²	3.75
E	Citric Acid	q.s. to pH 5.5 ± 0.5
F	FloraGLO™ Lutein 5% Topical Liquid in Safflower Oil - <i>Carthamus tinctorius</i> (Safflower) Seed Oil (and) <i>Tagetes erecta</i> Flower Extract	0.10
	Rosamox™ - HCO - <i>Helianthus annuus</i> (Sunflower) Seed Oil (and) <i>Rosmarinus officinalis</i> (Rosemary) Leaf Extract	0.10
G	Phenoxyethanol (and) Ethylhexylglycerin ³	1.00
		Total: 100

Bold denotes products available from Kemin.

¹LexFeel® N350 - Inolex; ²Jeechem GMS-D - Jeen International; ³Euxyl® PE 9010 - Schulke, Inc.

Manufacturing Process:

1. Weigh Phase A ingredients in the main beaker, adjust homogenizer and water heater.
2. Premix Phase B and then add to the main beaker while homogenizing. Heat the main beaker to 80-82 °C.
3. Add Phase C to the main batch when heated and mix until uniform.
4. Combine Phase D ingredients and heat to 82-85 °C. Add Phase D to the main batch and homogenize for 20 minutes and then switch batch to sweep mixing.
5. Add Phase E to the main batch at 45 °C. Adjust the pH to 5.5 ± 0.5 and mix well.
6. Add Phases F & G to the main batch while allowing to mix in between.
7. Cool the main batch to 30 °C while mixing.

Stability:

- Stable for 5 freeze-thaw cycles
- Stable for 3 months at RT and 45 °C

Characteristics:

Appearance:	Smooth, uniform cream
Color:	Light peach
Odor:	Fragrance-free
pH:	5.5 ± 0.5 at 20 °C
Viscosity:	5,000-10,000 cP at 20 °C Brookfield Viscometer, TB Spindle 12 rpm, 60 seconds
Centrifuge:	No separation at RT and 40 °C 4,000 rpm, 30 minutes

All information, recommendations, and suggestions in this formulation concerning the use of the products described herein are based upon present knowledge, experience, tests and data believed to be reliable. It is the customer's responsibility to thoroughly test the formulation, or any variation of it, to determine suitability for the customer's own use. The actual use of products produced by Kemin Industries, Inc. (Kemin) by the customer or others is beyond Kemin's control. No guarantee, express or implied, is made by Kemin as to the effects of such use or the results to be obtained. No warranty of any kind, express or implied, is made by Kemin except that the products sold hereunder shall be of merchantable quality, and conform to relevant specifications and relevant law. The customer shall assume all risks and liability for results of use by the customer or third parties of the products, including use by the customer of such products in combination with other substances. For the complete disclaimer please see www.kemin.com/personalcare/formulations.



Kemin Industries, Inc.
© Kemin Industries, Inc. and its group of companies 2015. All rights reserved. ® Trademarks of Kemin Industries, Inc., U.S.A.
FM-2014-00004 rev. 1

Kemin Industries, Inc. | 2100 Maury Street Des Moines, IA 50317
Phone: +1-515-559-5100 | Toll Free: +1-800-777-8307
personalcare@kemin.com | www.kemin.com/personalcare

