



1900 Scott Avenue · Des Moines, Iowa, USA 50317 · tel: 515.559.5100 · www.kemin.com/aq

ENDOX® brand Dry Antioxidant

ITEM CODE

015118

DESCRIPTION

A dry antioxidant to deliver protection to animal feeds.

INGREDIENTS

Calcium Carbonate, Ground Corn Cob, Silicon Dioxide (up to 6%), Citric Acid (a preservative), Soybean Oil, Ethoxyquin (a preservative, minimum 3.0%), Butylated Hydroxytoluene (a preservative), Phosphoric Acid, Butylated Hydroxyanisole (a preservative) and Mono and diglycerides of edible vegetable fat-forming acids.

QUALITY SPECIFICATIONS

Parameter	
Residue	0 – 5% (20 mesh screen)
Color	Beige, may darken over time

TYPICAL CHARACTERISTICS

Parameter	
Flowability	Good
Odor	Slightly pungent
Bulk Density	40 – 42 lb/ft ³

INSTRUCTIONS FOR USE

Poultry/Swine

Add to the final diet at a minimum of 0.25 lb per ton (114 g/ton), as limited by the inclusion of BHA and BHT (combined levels are less than 5%).

Cattle

Add to the final diet at a rate of 3 g/h/d for cattle consuming 50 lb/d of dry matter. Inclusion rate is based on dry matter intake

All recommended feeding levels are calculated based on 3% supplemented fat diet. Usage may vary based upon the level of fat in the complete feed. Consult your Kemin representative as necessary.

Note: BHA and BHT should not total more than 0.02% (200 ppm) of fat or oil content. The maximum level of ethoxyguin should not exceed 150 ppm in the treated article.

Inclusion rates of this product may depend upon other sources of BHA, BHT and/or ethoxyquin in the feed matrix.

© Kemin Industries, Inc. and its group of companies 2020. All rights reserved. ^{®™} Trademarks of Kemin Industries, Inc., U.S.A.

STORAGE

Store in a cool, dry place. Keep container closed when not in use. CAUTION: Silicon dioxide from all sources cannot exceed 2% by weight of the complete feed.

PACKAGING

25 kg bag